
Oncolmaging, P.A.





2023 Point Clear Ct. Missouri City, TX 77459 (281) 835-0304 Fax: (281) 835-9928 Joshua C. Pleasure, M.D.
Certified by the American Board of Radiology

June 22, 2000

Stanislaw R. Burzynski, M.D., Ph.D. 9432 Old Katy Road, Suite 200 Houston, TX 77055

Re: Siegel, Mary J. (Patient ID: MJS-CAN-01-01)

Dear Dr. Burzynski:

I have reviewed the series of Chest, Abdomen and Pelvis CT's performed on Mary J. Siegel, a 50-year-old woman diagnosed with non-Hodgkin's lymphoma in February 1991. The patient began antineoplaston therapy in April 1992.

The series of examinations was reviewed and any lesions suspicious for lymphoma were measured. The tables that follow summarize these measurements.

On the first follow-up study of 3/7/95 there was no residual suspicious adenopathy suggesting complete treatment response. In the chest there were several bilateral axillary nodes identified which were normal in appearance; the suspicious right axillary node was no longer seen. In the abdomen there was a left paraaortic node that remained stable throughout the series of examinations over several years; this node is not suspicious for lymphoma and was not included in the data.

On the study of 10/19/95 there was evidence for recurrent lymphoma in both the neck and abdomen. The subsequent studies again show resolution of suspicious adenopathy compatible with complete response.

Thank you for the opportunity to review this case.

Sincerely,

Joshua C. Pleasure, M.D.

Mary Jo Siegel's medical records are made available by written permission by Mary Jo Siegel for publication on www.burzynskimovie.com

Joshua C. Pleasure, M.D.

Page I

TUMOR MEASUREMENTS - CHEST

Test Substance(s): Antineoplastons A10 and AS2-1

Date	Lesion	Exam	Modality	Dimension 1 Dimension 2 (cm)	Product	% % Change Change vs. vs. Baseline Previous
8/12/1992	Right Axilla	Chest	СТ	1.1 0.9	0.99	100.0% N/A
3/7/1995		Chest	СТ	No Suspicious Adenopathy	0.00	-100.0% -100.0%
	Right Supraclavicular	1.2.23		1.9 2.0	3.8	
10/19/1995	Left Low Jugular	Chest	СТ	1.9 1.2	2.3	
	Right Axilla			0.0 0.0	0.0	
				TOTAL:	6.1	514.1%
3/7/1996		Chest	СТ	No Suspicious Adenopathy	0,00	-100.0% -100.0%
12/2/1996		Chest	СТ	No Suspicious Adenopathy	0.00	-100.0%
5/13/1997		Chest	СТ	No Suspicious Adenopathy	0.00	-100.0%
12/18/1997		Chest	СТ	No Suspicious Adenopathy	0.00	-100.0%
3/11/1999		Chest	СТ	No Suspicious Adenopathy	0.00	-100.0%

Mary Jo Siegel's medical records are made available by written permission by Mary Jo Siegel for publication on www.burzynskimovie.com

TUMOR MEASUREMENTS - ABDOMEN & PELVIS

Test Substance(s): Antineoplastons A10 and AS2-1

Date	Lesion	Exam	Modality	Location	Dimension 1 (cm)	Dimension 2 (cm)	Product	% Change vs. Baseline	% Change vs. Previous
8/12/1992	Adenopathy	Abdomen & Pelvis	СТ	Adj. To SMV	1.2	1.1	1.3		
				Mesenteric	3.8	2.2	8.4		y e
				Mesenteric	3.2	3.0	9.6		12
						TOTAL:	19.3	0.0%	
3/7/1995	Adenopathy	Abdomen & Pelvis	СТ		Adenopathy	Resolved	2	-100.0%	
10/19/1995	Adenopathy	Abdomen & Pelvis	СТ	Adj. to SMV	1.0	0.8	0.8	-95.9%	
3/7/1996	Adenopathy	Abdomen & Pelvis	СТ		Adenopathy	Resolved		-100.0%	89
12/2/1996	Adenopathy	Abdomen & Pelvis	СТ		Adenopathy	Resolved	e e	-100.0%	ŝ,
5/13/1997	Adenopathy	Abdomen & Pelvis	СТ	*	Adenopathy	Resolved		-100.0%	74 . 17 .
12/18/1997	Adenopathy	Abdomen & Pelvis	СТ	e y s Ba	Adenopathy	Resolved		-100.0%	80 a
3/11/1999	Adenopathy	Abdomen & Pelvis	СТ		Adenopathy	Resolved		-100.0%	28